



# EINTAC

Expert in **safe-working**  
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

📞 +44 (0)1376 525606

PART No.

**EHV-PLATINUM**

## Platinum Insulated Tool Kit

Our largest tool kit comprises of 113 insulated tools. All tools are housed inside bespoke designed foam trays, secured in a 5-drawer roller cabinet. Featuring a new ABS reinforced worktop, side handle and four 125mm diameter castor wheels for easy manoeuvrability.

Tools insulated according to IEC 60900, usable up to 1000V AC / 1500V DC.

### ALL PLATINUM KITS CONTAIN:

- || Insulated Ratchet 3/8" Square Drive
- || Insulated Ratchet 1/2" Square Drive
- || Insulated Extension Bar 3/8" Sq. Dr. 125mm Long
- || Insulated Extension Bar 1/2" Sq. Dr. 125mm Long
- || Insulated Extension Bar 3/8" Sq. Dr. 250mm Long
- || Insulated Extension Bar 1/2" Sq. Dr. 250mm Long
- || Insulated Adjustable Spanner 6" 19mm Jaw Opening
- || Insulated Adjustable Spanner 12" 33.5mm Jaw Opening
- || Insulated Socket 3/8" Sq. Dr. 6pt 6mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 8mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 10mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 11mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 12mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 13mm

- || Insulated Socket 3/8" Sq. Dr. 6pt 14mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 15mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 16mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 17mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 19mm
- || Insulated Socket 3/8" Sq. Dr. 6pt 21mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 8mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 10mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 11mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 12mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 13mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 14mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 15mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 16mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 17mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 18mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 19mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 20mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 21mm
- || Insulated Socket 1/2" Sq. Dr. 6pt 22mm



The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.

**EQUIPMENT + TRAINING**



# EINTAC

Expert in **safe-working**  
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

📞 +44 (0)1376 525606

PART No.

## EHV-PLATINUM

### PLATINUM KIT CONTENTS CONTINUED:

|| Insulated Slotted Screwdriver 2.5mm  
|| Insulated Slotted Screwdriver 4mm  
|| Insulated Slotted Screwdriver 5.5mm  
|| Insulated Pozidriv Screwdriver 1  
|| Insulated Pozidriv Screwdriver 2  
|| Insulated Combination Pliers 180mm Long  
|| Insulated Long Nose Pliers 160mm Long  
|| Insulated Side Cutter Pliers 160mm Long  
|| Insulated Allen Key Socket 3/8" Sq. Dr. 4mm  
|| Insulated Allen Key Socket 3/8" Sq. Dr. 5mm  
|| Insulated Allen Key Socket 3/8" Sq. Dr. 6mm  
|| Insulated Allen Key Socket 3/8" Sq. Dr. 8mm  
|| Insulated Allen Key Socket 3/8" Sq. Dr. 10mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 4mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 5mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 6mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 7mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 8mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 9mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 10mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 12mm  
|| Insulated Allen Key Socket 1/2" Sq. Dr. 14mm  
|| Insulated Open Ended Spanner 6mm  
|| Insulated Open Ended Spanner 7mm  
|| Insulated Open Ended Spanner 8mm  
|| Insulated Open Ended Spanner 9mm  
|| Insulated Open Ended Spanner 10mm  
|| Insulated Open Ended Spanner 11mm  
|| Insulated Open Ended Spanner 12mm  
|| Insulated Open Ended Spanner 13mm  
|| Insulated Open Ended Spanner 14mm

|| Insulated Open Ended Spanner 15mm  
|| Insulated Open Ended Spanner 16mm  
|| Insulated Open Ended Spanner 17mm  
|| Insulated Open Ended Spanner 18mm  
|| Insulated Open Ended Spanner 19mm  
|| Insulated Offset Ring Spanner 6mm  
|| Insulated Offset Ring Spanner 7mm  
|| Insulated Offset Ring Spanner 8mm  
|| Insulated Offset Ring Spanner 9mm  
|| Insulated Offset Ring Spanner 10mm  
|| Insulated Offset Ring Spanner 11mm  
|| Insulated Offset Ring Spanner 12mm  
|| Insulated Offset Ring Spanner 13mm  
|| Insulated Offset Ring Spanner 14mm  
|| Insulated Offset Ring Spanner 15mm  
|| Insulated Offset Ring Spanner 16mm  
|| Insulated Offset Ring Spanner 17mm  
|| Insulated Offset Ring Spanner 18mm  
|| Insulated Offset Ring Spanner 19mm  
|| Insulated Offset Ring Spanner 21mm  
|| Insulated Offset Ring Spanner 22mm  
|| Insulated Screwdriver Handle Allen Key 2.5mm  
|| Insulated Screwdriver Handle Allen Key 3mm  
|| Insulated Screwdriver Handle Allen Key 4mm  
|| Insulated Screwdriver Handle Allen Key 5mm  
|| Insulated Screwdriver Handle Allen Key 6mm  
|| Insulated Angled Allen Key 3mm  
|| Insulated Angled Allen Key 4mm

The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.

EQUIPMENT TRAINING



# EINTAC

Expert in **safe-working**  
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

📞 +44 (0)1376 525606

PART No.

## EHV-PLATINUM

### PLATINUM KIT CONTENTS CONTINUED:

- || Insulated Angled Allen Key 5mm
- || Insulated Angled Allen Key 6mm
- || Insulated Angled Allen Key 7mm
- || Insulated Angled Allen Key 8mm
- || Insulated Angled Allen Key 10mm
- || Insulated Angled Allen Key 12mm
- || Insulated Torx Screwdriver T10
- || Insulated Torx Screwdriver T15
- || Insulated Torx Screwdriver T20
- || Insulated Torx Screwdriver T25
- || Insulated Torx Screwdriver T27
- || Insulated Torx Screwdriver T30

- || Insulated Torque Wrench 3/8" (10-50Nm)
- || Insulated Torque Wrench 1/2" (40-220Nm)
- || Insulated Cable Cutters 150mm Long
- || Insulated Cable Coring Knife, Curved Blade
- || Insulated Gear Wrench Spanner 10mm
- || Insulated Gear Wrench Spanner 13mm
- || Insulated Gear Wrench Spanner 15mm
- || Insulated Gear Wrench Spanner 17mm
- || Insulated Gear Wrench Spanner 19mm

### 5 DRAWER ROLLER CABINET TOOL BOX:

- || New ABS reinforced worktop
- || Multi-purpose top with anti-fall edges and eight holes to accommodate screwdrivers
- || 5 fully removable drawers with ball bearing slides
- || Drawer bases protected by foam rubber mats

- || Four castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
- || Front centralised safety lock and two keys
- || Integrated small equipment holder
- || Static load capacity of 800KG
- || Drawer bases protected by foam rubber mats

### OPTIONAL EXTRAS:

- || Customised company laser engraving available.
- || Perforated Tool Panel - ideal for hanging tools during your working day.

- || Folding Shelf - providing some more space for equipment storage.
- || Equipment Holder - useful for storing documents, manuals, PPE, etc.

### DIMENSIONS (mm):

- || Overall Size: W: 740 x D: 445 x H: 969
- || Small Drawer (x2): W: 588 x D: 367 x H: 70

- || Med Drawer (x2): W: 588 x D: 367 x H: 140
- || Large Drawer (x1): W: 588 x D: 367 x H: 280



The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.